



## K-Line 820

Pedestrian Sweeping Machine  
 5.5hp Honda Petrol Engine  
 All Hydraulic Drive to Wheels  
 (forwards only) .  
 Variable Speed 0-3Kmh  
 Adjustable Handlebar  
 4.00 x 8 Turf Tyres  
 82cm sweeper (hydraulic  
 drive) with manual angling left  
 and right.  
 5 row Combi brush.  
 Kersten Quick-Attach Imple-  
 ment Mounting System  
 Low Noise <84dB (Operators  
 Ear)  
 Bio-degradable oil  
 PTO 5.5lpm 175bar

### Options

Front Brush Guard  
 Collector Box  
 Filter box for maintaining arti-  
 ficial surfaces  
 Side Gulley Brush  
 Snow Blade  
 WeedBrush  
 Reciprocating Mower  
 Grit, Sand, Seed Spreader  
 Trailing Sulky Seat  
 Folding handlebars  
 Wheel Weights

# K-Line 820 Utility Sweeper



**K-Line 820 Sweeper with  
Collector and side Gulley Brush**



**Removing Collector Box**



**Snow Blade Attachment**



**Emptying Collector Box**

### KERSTEN (UK) LTD

The Byre  
 Goodboys Lane  
 Mortimer  
 Reading, Berkshire  
 RG7 3AH

Phone:0118 9834337

Fax:0118 9834512

Email:info@kersten-machines.com

[www.kersten-machines.com](http://www.kersten-machines.com)

## Kersten K-Line 820 Sweeper

The K-Line 820 features a Honda engine, hydraulic transmission to the wheels and hydraulic power take off to the sweeper. The hydraulic systems allow the operator to adjust the power unit to suit many tasks by 2 simple levers. The Kersten quick attach system is a standard feature of these machines and enables attachments to be changed in seconds without the use of tools. The hydraulic operation also means maintenance is kept to a minimum.

Kersten offers a range of robust attachments for the clearance and collection of debris from a variety of surfaces including roads, yards, tennis courts, factories, synthetic sports surfaces and even grass. Efficient collection may be made using the easy to empty collector box and the side gully brush looks after the edges. The front brush guard prevents material from being thrown from the brush when the collector is not being used. Snow can be cleared using the brush or a snow blade and slippery surfaces dealt with using the salt, sand and grit spreader.

<b>K-Line 820</b>	5.5hp Honda petrol engine, hydraulic transmission, forward direction only with differential and variable speed 0-3km/h, large drive wheels (4.00 x 8 turf pattern) Adjustable handlebar, hydraulic implement drive with quick-attach system. 82cm Front Sweeping Machine with hydraulic <b>quick-attach</b> sweeper, manual angling, side drive hydraulic motor • Fully adjustable for height and angle 32cmØ . Suitable for sweeping hard and soft surfaces including artificial sports surfaces.
GUSPL 820	82cm Front Brush Guard For use when collector is not fitted to prevent flying debris.
SSB 820 K	82cm Collector Box including adjustable brackets
SSB 820 KKR	82cm Separation Collector for filtering sand or rubber filled artificial surfaces
ASM 400 750	40cm Side Gully Brush — Belt Drive to suit F750-F900
ASM 400 750 H	40cm Side Gully Brush — Hydraulic Drive to suit F750-F900
0800 911	5 litre water sprayer to reduce dust
<b>SCHN 85 ST</b>	<b>85cm Snow Plough- Quick attach</b>
<b>0800 903</b>	<b>90cm Mower</b> —Double reciprocating knife mower with hydraulic drive
<b>WKBH 40 –1500</b>	<b>Weedbrush Attachment</b> 40cm diameter rotor with hydraulic drive and Kersten quick-attach system. 8 Replaceable steel brushes for cleaning block paving and path edging.
<b>SLDST 70 K1500</b>	<b>Rotary Grit Spreader</b> Suitable for Sand, salt, and grit 70 Litre Hydraulic drive with adjustable spreading width 0.5-4m. Quick attachment system
1200 548	Damp material agitator for spreader
ADP-SLDST	Hopper cover for spreader
JLK-K820	Sulky trailing seat including tow hitch
2000 450	Pair of 13kg Wheel Weights

[www.kersten-machines.com](http://www.kersten-machines.com)

## K-Line 1500pro


Professional 2 wheel tractor  
 6.5hp Honda Petrol Engine  
 All Hydraulic Drive to Wheels  
 and PTO  
 Variable Speed 0-4Kmh  
 Adjustable Handlebar  
 Operator Presence Control  
 4.00 x 8 Turf Tyres  
 Kersten Quick-Attach Imple-  
 ment Mounting System  
 Low Vibration 3.2m/s<sup>2</sup>  
 Low Noise <82dB (Operators  
 Ear)  
 Bio-degradable oil  
 PTO 6.5lpm 175bar

## K-Line 1500pro 2 Wheel Power Unit



### Options

Sweepers 75cm and 90cm  
 Front Brush Guard  
 Collector Box  
 Side Gulley Brush  
 Snow Blade  
 WeedBrush  
 Reciprocating Mower  
 Grit, Sand, Seed Spreader  
 Trailing Sulky Seat



K-Line 1500pro Handles



K-Line 1500pro with Sweeper



Snow Blade



WeedBrush in Action

### KERSTEN (UK) LTD

The Byre  
 Goodboys Lane  
 Mortimer  
 Reading, Berkshire  
 RG7 3AH

Phone:0118 9834337

Fax:0118 9834512

Email:info@kersten-machines.com

## Kersten K-Line 1500pro

The K-Line 1500pro 2 wheel tractors feature premium engines, hydraulic transmission to the wheels and hydraulic power take off to the implement. The hydraulic systems allow the operator to finely adjust the power unit to suit many tasks. The Kersten quick attach system is a standard feature of these machines and enables attachments to be changed in seconds without the use of tools. The hydraulic operation also means maintenance is kept to a minimum.

Kersten offers a range of robust attachments for the clearance and collection of debris from a variety of surfaces including roads, yards, tennis courts, factories, synthetic sports surfaces and even grass. Efficient collection may be made using the easy to empty collector box and the side gully brush looks after the edges. The front brush guard prevents material from being thrown from the brush when the collector is not being used. A sprinkler system can be fitted for use in dusty conditions. Snow can be cleared using the brush or a snow blade and slippery surfaces dealt with using the salt, sand and grit spreader.

**K-Line 1500pro** 6.5hp Honda petrol engine, hydraulic transmission, forward/reverse direction with differential and variable speed 0-4km/h, large drive wheels (4.00 x 8 turf pattern) Adjustable handlebar, hydraulic implement drive with quick release hydraulic couplings and quick-attach system

**F 750 H** **75cm Front Sweeping Machine**  
Hydraulic **quick-attach** sweeper with manual angling, side drive hydraulic motor • Fully adjustable for height and angle 32cmØ Suitable for sweeping hard and soft surfaces including artificial sports surfaces.

GUSPL 750 75cm Front Brush Guard  
For use when collector is not fitted to prevent flying debris.

SSB 750 K 75cm Collector Box including adjustable brackets

**F 900 H** **90cm Front Sweeping Machine**  
Hydraulic **quick-attach** sweeper with manual angling, side drive hydraulic motor • Fully adjustable for height and angle · 32cmØ Suitable for sweeping hard and soft surfaces including artificial sports surfaces.

GUSPL 900 90cm Front Brush Guard  
For use when collector is not fitted to prevent flying debris.

SSB 900 K 90cm Collector Box including adjustable brackets

SSB 900 KKR Separation Collector for filtering sand or rubber filled artificial surfaces

ASM 400 750 40cm Side Gully Brush — Belt Drive to suit F750 and F900

ASM 400 750 H 40cm Side Gully Brush — Hydraulic Drive to suit F750 and F900

0800 911 5 litre water sprayer to reduce dust

**SCHN 85 ST** **85cm Snow Plough- Quick attach**

**0800 903** **90cm Mower**—Double reciprocating knife mower with hydraulic drive

**WKBH 40 –1500** **Weedbrush Attachment**  
40cm diameter rotor with hydraulic drive and Kersten quick-attach system.  
8 Replaceable steel brushes for cleaning block paving and path edging.

**SLDST 70 K1500** **Rotary Grit Spreader**  
Suitable for Sand, salt, and grit  
70 Litre Hydraulic drive with adjustable spreading width  
0.5-4m. Quick attachment system

1200 548 Damp material agitator for spreader

ADP-SLDST Hopper cover for spreader

JLK-K1500 Sulky trailing seat including tow hitch

## Block Paving Maintenance Machines From KERSTEN

The Kersten K2000 machine has been developed to aid installation and maintain block paving areas. The cleaning of these surfaces has been previously achieved using a pressure washer which can be a messy, time consuming task that can undermine the surface foundation and washes out the jointing sand. The Kersten method of removing moss, weeds and algae from hard surfaces also combats the need to use chemicals.

The key features of this machine include:

**9 Horsepower Honda Engine.** Offering dependable, low noise power.

**Hydraulic self-propelled transmission** – Reliable transmission system dispensing with the need for gearbox, clutch, belts, levers etc. If they are not on the machine they cannot fail. Hydraulics offer you the ability to change your speed on the move from 0 to 9 KMH forwards and reverse.

**Hydraulic Power take off.** All of the above applies. The speed of the brush may be adjusted to achieve the desired effect on a particular surface.

**Quick Change attachment system.** Choose the correct machine for the job from the range of Kersten attachments and swap in less than one minute.

### Installing Block Paving

Sand can be spread and brushed accurately in to the block joints, even forced in to the joints. The surplus constantly brushed forwards leaving a clean, level finish. Even the edges can be finished perfectly, using the gutter brush attachment, in a fraction of the time normally taken with a hand broom. The collector may be used to sweep up any surplus sand.

### Maintaining block paving

The 1 metre brush, when set at high speed, scrubs the surface of the paving and may be adjusted to penetrate the joints to a desired depth, removing debris but leaving the sand jointing intact.

The weedbrush attachment may be used to remove heavier growth of moss, grass and weeds from most hard surfaces. The debris is left on the surface to be collected by the 1 metre brush.



Model	Power Unit	Transmission	Sweeper Attachment	Weedbrush attachment
K1200	Honda 5.5hp	Hydraulic variable speed forward and reverse	Hydraulic 90cm brush with collector and gully brush – manual angling-fixed speed	Hydraulic 40cm wire brush
K2000	Honda 9hp	Hydraulic variable speed forward and reverse	Hydraulic 100cm brush with collector and gully brush – manual angling- variable speed	Hydraulic 40cm wire brush